




# SEASONAL CLIMATE INFORMATION SERVICE SOI FAX HOTLINES

(Southern Oscillation Index)  
menu page = 019 725 300  
this page = 019 725 301



## SOI MESSAGE - 24 JULY 1996

SOI (a) AVERAGES / PHASE		
April 96	*	+ 5.3
May 96	*	+ 1.7
June	*	+ 10.5
-----		
Last 30 days		+ 10.4
Last 90 days (b)		+ 7.1
-----		
SOI trend (b) during May - June was Phase 4 (i.e. rapidly rising ↗).		

NOTE : (a) SOI values calculated using mean barometric pressures from 1880 to 1992 - subject to revision by Bureau of Meteorology.

\* Preliminary value \*\* Revised value

(b) See AUSTRALIAN RAINMAN for effects of SOI on rainfall at your location.

### REVIEW OF CLIMATIC FORECASTS AND INFORMATION

Most climate forecast systems are suggesting 'average to above average' rainfall in eastern Australia during the next three months. Probabilities of receiving median rainfall range from about 50% to 70%. That is, when we have experienced a similar SOI pattern to the current one, over the last 130 years, we have received median rainfall in about 1-in-2 years to 2-in-3 years, with some variation from one location to another. The higher probabilities are mainly in eastern districts of Queensland and NSW, and also in the Central Highlands.

The next passage of the 30- to 50-day Oscillation is due this week, but the effects may be small. It will then be due again about the fourth week of August.

The Bureau of Meteorology indicates that easterly winds have restrengthened in some parts of the eastern equatorial Pacific Ocean. However, sea-surface temperatures are continuing to warm in many sections of the eastern Pacific. An appraisal of the above information suggests that it would be unwise to extend the current forecasted outlook beyond spring. Sea-surface temperatures remain warmer-than-normal in a large part of the Indian Ocean, suggesting more northwest cloudbands than normal this winter.

The trend in the SOI over April/May suggests little variation from the median date of last frost for most of Queensland and northern New South Wales, except for the Biloela, Emerald and Tamworth areas where it is about one week later than normal.

*The average SOI over the last 30 days was strongly positive at +10.4. Climate forecasts indicate that the chances of receiving median rainfall over the next three months range from 1-in-2 years to 2-in-3 years, but the outlook beyond spring is unclear.*

**THE BOTTOM LINE**

To obtain more information for your location, we recommend combined use of the AUSTRALIAN RAINMAN package and the Bureau of Meteorology's Seasonal Climate Outlook. Also a lot of additional information is available on our Internet World Wide Web service, 'The Long Paddock', at URL - <http://www.dpi.qld.gov.au/longpdk/>.

The next SOI HOTLINE update will be on the 31st of July (usually by 5pm).

### Climate Impacts and Spatial Systems - Department of Primary Industries

Compiled by Dr Roger Stone, QDPI, Toowoomba and Col Paull

If you would like any further information, please contact Col Paull on (07) 389 69587, or one of the Risk Management Co-Ordinators located at Cloncurry (077) 421 311, Charters Towers (077) 872 155, Emerald (079) 828 801, Kingaroy (071) 600 717 and Roma (076) 229 999

Some information courtesy Bureau of Meteorology,

CSIRO and National Oceanographic and Atmospheric Administration, USA